



Weston Solutions, Inc.
Suite 3B
124 Hebron Avenue
Glastonbury, CT 06033
860-368-3200 • Fax 860-368-3201
www.westonsolutions.com


The Trusted Integrator for Sustainable Solutions



GreenGrid® System With Built-In Soil Stabilizer – Special Order Module Information

Custom 4.25" Deep Module Characteristics (Vacuum Formed):

- Plastic Type/Thickness: HMWPE / 187mil
- Approximate volume: 1.26-1.30 cubic feet
- Approximate weight: 4 pounds
- Exterior Dimensions: 2'x2'
- Tolerance: +/- 1/8"
- Sidewall Draft Angle: 1 ½ degrees
- Provisions for fastening: 2 per side, 6" in from each corner
- Diameter of fastener channel: 0.20" (based on #10 screw)
- Provisions for Soil Stabilizer: 2 per side, tab/slot configuration



Note: image reflects the mold used to create the custom modules, not the modules themselves

Purchaser accepts all liability for determining which GreenGrid system, if any, is appropriate for the structure upon which it is placed.



Weston Solutions, Inc.
Suite 1B
124 Hebron Avenue
Glastonbury, CT 06033
860-368-3200 • Fax 860-368-3201
www.westonsolutions.com


The Trusted Integrator for Sustainable Solutions



Soil Stabilizer Characteristics (Injection Molded):

- Plastic Type/Thickness: HMWPE / 70mil

Module Divider:
4 required per module



Purchaser accepts all liability for determining which GreenGrid system, if any, is appropriate for the structure upon which it is placed.